

ALLIED[®]

Construction Products, LLC

CORPORATE CAPABILITIES



Profit from our experience.

ALLIED CONSTRUCTION PRODUCTS, LLC PROFILE

Allied Construction Products, LLC, which began as a small steel business, has evolved as a leader in innovative construction product technology. Allied designs, manufactures and distributes these innovative specialty products primarily for the construction and mining industries and for other industries/applications where its products are readily adaptable.

Through more than 200 U. S., Canadian and other international Distributors, Allied offers a complete line of excavator, loader/backhoe, skid-steer and mini-excavator mounted attachments, stationary breaking and material handling systems.

Allied's quality and service leadership can be measured by the productivity and dependability of its products and the innovative, problem-solving capabilities and responsiveness of its employees and Distributorships. People are what make Allied the industry's leader. Hard working people who are dedicated to providing the most productive and most reliable equipment in the market.

The Amalgamated Steel operation, which later became Allied Steel & Tractor Products, Inc. (now known as Allied Construction Products, LLC), began in 1942 in Cleveland, Ohio with one product — Grip-Lug® grouser bars. Today, the present Allied location with fifty plus employees covers nearly 70,000 square feet. The complex includes the manufacture and assembly of 13 different products representing over 100 different models. We invite you to "Profit from our experience".



FABRICATING, INVENTORY AND ASSEMBLY



The welding area includes a fitting station for primary assembly of weldments and three welding stations for finish using fluxcore welding technology.

GENUINE ALLIED REPLACEMENT PARTS

Through one of the most respected parts and service networks in North America, Allied provides Genuine Allied Replacement Parts for all of the products sold.



from our experience.



Allied's all-new plasma cutting machine handles 3/16" to 6" steel plates for machining top-mounting brackets, boom system components, rotary asphalt cutters and vibratory compactor/drivers.

A six-foot deep work pit is utilized for the REMAN Program for the dismantling and re-assembly of all used hydraulic hammer top-mounting brackets and power cells.

SHIPPING SERVICES



Products are loaded and shipped up to 7:00 p.m. EST either at an inside shipping bay with overhead cranes or a 40-foot inside shipping dock that handles large tractor-trailer trucks.

Allied receives Distributor's or customer's Sandvik (Rammer), CAT, AR Series™ or Hy-Ram® hydraulic hammers for Basic Repair or Certified Rebuilds including diagnostics, disassembly, evaluation, re-assembly and testing at no charge.



Contributing to the high quality of Allied's products are the Engineering and Quality Control Departments. Engineering designs innovative, labor-saving and safety enhancing products, while Quality Control ensures that each product is analyzed for safe design and operation.



The front-load automatic parts washer used for the REMAN Program with a pump capacity of 200 gpm at 50 psi cleans both larger parts up to 60" high and smaller parts contained in a small parts basket.


QUALITY CONTROL AND TESTING

All REMAN hydraulic hammers, even the largest, and Ho-Pac® vibratory compactor/drivers are tested in Allied's in-factory test booth before shipping.



High Volume Low Pressure (HVLP) paint booths use environment-friendly acrylic enamel paint in spraying components for most products.





Allied Distributors are personally selected by the Allied staff and periodically reviewed to make sure they are offering the best, most informative service possible. They have made a commitment to Allied by being fully-prepared with repair tools,

knowledge and the best re-placement parts in the business. Through this partnership, Allied continues to change with the markets and meets demands by supplying innovative and improved products to the end-users.



3900 Kelley Avenue, Cleveland, Ohio 44114
Tel: 216-431-2600 Fax: 216-431-2601
e-mail: Sales@AlliedCP.com
website: <http://www.AlliedCP.com>